

How to make labels and signs with LabelTac®

1

Design

Lay out labels on your computer using LabelSuite™ or other software of your choice.

2

Print

Quickly print your labels right from your workstation like a normal file or email.

3

Apply

Peel the backing off of your label or sign and stick to most any clean, dry surface.

Print your own weatherproof labels and signs for:

- ✓ Safety**
- ✓ Arc Flash**
- ✓ Hazmat**
- ✓ Lean & 5S**
- ✓ Warehouse**
- ✓ Barcodes**
- ✓ OSHA**
- ✓ Inventory**
- ✓ Tool ID**
- ✓ Pipe Marking**
- ✓ ANSI**
- ... and much more**
- ✓ GHS & NFPA**
- ✓ Wayfinding**

Included FREE (\$199.99 value)

Label Suite®

Label and Sign Design Software



Our included, easy-to-use software lets you design custom labels and signs for any application. Get started using pre-made templates or create your own templates for future use.

Built in label wizard modules for
 GHS | Arc Flash | Precautionary Headers ...and more

LabelTac® printers are also compatible with software including **Microsoft Word, Apache OpenOffice, Adobe Creative Suite** and more



All LabelTac® printers include the industry's **ONLY**

FULL LIFETIME WARRANTY

learn more at labeltac.com/warranty



4" Max Width

Compact & connected.


LabelTac® Pro 2

PART # LTP2

4 4 SERIES
(4" Max Width)

Easily print indoor and outdoor labels 1/2" to 4" wide with the LabelTac® Pro 2 industrial label printer. This new model has upgraded ribbon capacity, so you won't need to stop and change the ribbon often. It also features easy supply loading to eliminate downtime and make printing faster. This printer's streamlined design means it will fit into your workspace and can be used out on the work floor without getting in the way. The LabelTac® Pro 2 is also simple to use. Connect it to your PC with USB or ethernet and design your labels using one of a variety of software options. You can also select one of many included templates as a starting point. The LabelTac® Pro 2 comes with a full lifetime warranty.

- **FULL LIFETIME WARRANTY**
- Compatible with supplies from 1/2" to 4"
- Upgraded ribbon capacity (3x that of the LabelTac® 4)
- Streamlined design
- Easy supply loading
- Simplified die-cut detection
- Connect to any PC using USB or built-in ethernet



Enhanced Connectivity

Easily print from the LabelTac® Pro 2 by connecting to any PC with USB or the printer's built-in ethernet.



Automatic Die-Cut Detection

The LabelTac® Pro 2 can automatically sense when you're using die-cut labels, preventing wasting time or labels trying to align your die-cut supply.

Specifications

Color Capability	Single Color
Max Label Width	4 in
Power Supply	External universal switching power supply Input: AC 100-240V, 1.6A, 50-60 Hz Output: DC 24V 2.5A, 60W Max
Print Speed	4 in/sec
Label Types	Continuous, die-cut, black mark
Dimensions	Length: 11.0 in (280 mm) Height: 7.3 in (186 mm) Width: 8.3 in (210 mm)
Type	Compact Desktop
Print Resolution	300 DPI
Memory	16MB RAM, 8MB Flash
Max Label Length	30 in
Display	Power LED/Status LED
Warranty	Full Lifetime
Weight	5.29 lbs (2.4 kg)
Includes	Print software & drivers, label templates, industrial symbol library, cables, user guide
QTY/UOM	1/each



4" Max Width

Popular entry-level system.

LabelTac® 4

PART # LT4

4 4 SERIES
 (4" Max Width)

The LabelTac® 4, our popular, entry-level system, lets you take label creation into your own hands. With this budget-friendly printer, you can make 1/2" to 4" labels that will hold up to harsh indoor or outdoor conditions. LabelTac® labels are clear, won't fade, and will last for years. The printing process won't be a hassle because with a LabelTac® 4 you can easily print labels from any PC. This model's small footprint won't take up too much space in your workplace either, so you won't need to worry about it getting in the way. Plus, the LabelTac® 4 comes with an unbeatable lifetime warranty.

- **FULL LIFETIME WARRANTY**
- **Compatible with supplies from 1/2" to 4"**
- **Small footprint**
- **Budget friendly**
- **Connect to any PC with USB 2.0**



Easy to Use

The LabelTac® 4 printer is easy to load, and you can print using a wide range of software. That makes the printing process fast and simple.



Budget Friendly

This entry-level model has the features you need to tackle labeling projects at an affordable price.

Specifications

Color Capability	Single Color
Max Label Width	4 in
Power Supply	External universal switching power supply Input: AC 100-240V, 1.6A, 50-60 Hz Output: DC 24V 3.75A, 90W Max
Print Speed	4 in/sec
Label Types	Continuous, die-cut, black mark
Dimensions	Length: 7.99 in (203 mm) Height: 7.54 in (191.5 mm) Width: 10.21 in (259.3 mm)
Type	Compact Desktop
Print Resolution	300 DPI
Memory	8MB RAM, 4MB Flash
Max Label Length	40 in
Display	Single Power/Status LED
Warranty	Full Lifetime
Weight	4.85 lbs (2.2 kg)
Includes	Print software & drivers, label templates, industrial symbol library, cables, user guide
QTY/UOM	1/each



4" Max Width

High volume workhorse.

LabelTac® 4 Pro

PART # LT4P

4 4 SERIES
(4" Max Width)

The LabelTac® 4 Pro is a high-volume workhorse that can meet the labeling demands of large industrial facilities. The LabelTac® 4 Pro can print thousands of labels per day without slowing down, so you can create as many labels as you need, fast. This model features an upgraded cutter, motor, and print head that make it perfect for facilities that need high volumes of labels. It also has a larger ribbon capacity, letting you print many more labels before you need to stop to reload. Use a LabelTac® 4 Pro to print labels 1/2" to 4" wide that will withstand both indoor and outdoor environments.

- **FULL LIFETIME WARRANTY**
- **Compatible with supplies from 1/2" to 4"**
- **Upgraded cutter**
- **Upgraded motor**
- **Upgraded print head**
- **Larger ribbon capacity**
- **Connect to any PC with USB 2.0**



Upgraded Motor, Cutter, and Print Head

The LabelTac® 4 Pro's upgraded components increase the longevity of the printer (vs. the LabelTac® 4) and make it less susceptible to breakdowns. That makes it perfect for demanding industrial environments.



Larger Ribbon Capacity

The LabelTac® 4 Pro's design allows it to hold an impressive 984 feet of print ribbon (3x the capacity of the LabelTac® 4), so you won't need to reload ribbon often. You can go through 6.5 rolls of label supply before you'll run out of ribbon.

Specifications

Color Capability	Single Color
Max Label Width	4 in
Power Supply	External universal switching power supply Input: AC 100-240V, 1.6A, 50-60 Hz Output: DC 24V 3.75A, 90W Max
Print Speed	5 in/sec
Label Types	Continuous, die-cut, black mark
Dimensions	Length: 8.39 in (213 mm) Height: 7.40 in (188 mm) Width: 12.36 in (314 mm)
Type	Compact Desktop
Print Resolution	300 DPI
Memory	8MB RAM, 4MB Flash
Max Label Length	40 in
Display	Single Power/Status LED
Warranty	Full Lifetime
Weight	6.17 lbs (2.8 kg)
Includes	Print software & drivers, label templates, industrial symbol library, cables, user guide
QTY/UOM	1/each



6" Max Width



Versatile printing, easy loading.

LabelTac® 6

PART # LT6

6 6 SERIES
(6" Max. Width)

The versatile, easy-to-load LabelTac® 6 gives you plenty of options for label creation. With this industrial label printer, you can make durable, 2" to 6" signs and labels for indoor or outdoor use. This model is easy to use, simple to load, and features edge-to-edge printing. The LabelTac® 6's durable metal chassis is designed for the tough conditions of an industrial workplace. You can also connect the LabelTac® 6 to any PC for easy printing. This printer comes with an unbeatable lifetime warranty, too, so you don't need to worry about running into problems.

- **FULL LIFETIME WARRANTY**
- Compatible with supplies from 2" to 6"
- Metal chassis
- Easy supply loading
- Edge-to-edge printing
- Connect to any PC with USB 2.0 or ethernet
- Side media view window



Easy to Load

It's easy to remove/replace label supply and ribbon in the LabelTac® 6 printer, so you can quickly reload and get back to printing. No need to worry about costly downtime.



Versatile

The LabelTac® 6's ability to print labels with widths as narrow as 2" and as wide as 6" means it can handle labeling tasks of many sizes. You can create small labels for viewing up close or larger signs that can be seen from a distance.

Specifications

Color Capability	Single Color
Max Label Width	6 in
Power Supply	Internal universal switching power supply Input: AC 100-240V, 3.0A, 50-60Hz Output: DC 24V, 8.33A, 200W Max
Print Speed	12 in/sec
Label Types	Continuous, die-cut, black mark
Dimensions	Length: 13.98 in (355 mm) Height: 13.27 in (337 mm) Width: 20.47 in (520 mm)
Type	Compact Desktop
Print Resolution	203 DPI
Memory	256MB RAM, 512MB Flash
Max Label Length	580 in
Display	Full Color Touchscreen
Warranty	Full Lifetime
Weight	5.29 lbs (2.4 kg)
Includes	Print software & drivers, label templates, industrial symbol library, cables, user guide
QTY/UOM	1/each



9" Max Width



Create industrial signs up to 9".

LabelTac® 9

PART # LT9

Create signs, labels, and banners 4" to 9" wide with the LabelTac® 9. This industrial label printer makes large-format printing possible, giving you the ability to make signs that can be seen from a distance. An LCD display and clear media view window make this printer simple to use, and a durable metal chassis makes it tough and dependable. Use the LabelTac® 9 to tackle large printing jobs of up to 2500 labels per day. You can also connect the LabelTac® 9 to any PC using USB 2.0 or built-in ethernet for easy printing. This printer comes with an unbeatable lifetime warranty, so if you have any trouble, we'll help you out.

- **FULL LIFETIME WARRANTY**
- Compatible with supplies from 4" to 9"
- Large format printing
- Metal chassis
- Print up to 2500 labels/day
- Connect to any PC with USB 2.0 or ethernet
- Side media view window



Large Format

Bigger signs get noticed. With the LabelTac® 9 printer, you can create the large-format labels you need to make sure your message is understood.



Easy to Load

It's easy to remove/replace label supply and ribbon in the LabelTac® 9 printer, so you can quickly reload and get back to printing. No need to worry about costly downtime.

9 9 SERIES (9" Max. Width)

Specifications

Color Capability	Single Color
Max Label Width	9 in
Power Supply	Internal universal switching power supply Input: AC 100-240V, 3.0A, 50-60Hz Output: DC 24V, 8.33A, 200W Max
Print Speed	4 in/sec
Label Types	Continuous, die-cut, black mark
Dimensions	Length: 17.32 in (440 mm) Height: 13.23 in (186 mm) Width: 20.24 in (210 mm)
Type	Compact Desktop
Print Resolution	300 DPI
Memory	256MB RAM, 512MB Flash
Max Label Length	200 in
Display	Full-Color Touchscreen
Warranty	Full Lifetime
Weight	52.25 lbs (23.7 kg)
Includes	Print software & drivers, label templates, industrial symbol library, cables, user guide
QTY/UOM	1/each



LabelTac® Supply Information

Model Compatibility / Jump to Pricing

Click the model family link in the products below to be taken to pricing for that supply

4 4 SERIES (4" Max Width)	6 6 SERIES (6" Max. Width)	9 9 SERIES (9" Max. Width)
LabelTac® 4, LabelTac® 4 Pro, LabelTac® 4+, LabelTac® Pro 2, LabelTac® 4 Ultra	LabelTac® 6, LabelTac® 6 Duo	LabelTac® 9

★ Indoor/Outdoor Label Supply



LabelTac® Label Supply is engineered from extremely high-grade vinyl and designed to last 5+ years in outdoor applications (and even longer for indoor use). The adhesive is very strong, but won't leave a residue when removed.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **46°F**
- Service Temp: **-40° to 180°F**
- Thickness: **2.8 mil** (1 mil= 1/1000 in)
- Shelf Life (unused): **2 Years**



4 [pg. 20](#) **6** [pg. 24](#) **9** [pg. 28](#)

10 High Performance 10-Year Supply



Our longest lasting label material! LabelTac® High Performance 10-Year Supply is engineered to withstand tough outdoor conditions for a minimum of 10 YEARS. If your labels fail within 10 years of application, we'll replace your material for free.

- Rated Outdoor Life: **10+ Years**
- Min. Application Temp: **46°F**
- Service Temp: **-58° to 250°F**
- Thickness: **2.4 mil**
- Shelf Life (unused): **2 Years**



4 [pg. 20](#) **6** [pg. 24](#) **9** [pg. 28](#)

↔ Reflective Supply



Reflective Supply has strong reflective properties and is rated for up to 7 years outdoors in the elements. Useful for areas such as stairwells, crawlspaces, and other locations with limited visibility.

- Rated Outdoor Life: **7+ Years**
- Min. Application Temp: **60°F**
- Service Temp: **-60° to 205°F**
- Thickness: **5.0 mil**
- Shelf Life (unused): **2 Years**



4 [pg. 21](#) **6** [pg. 25](#) **9** [pg. 29](#)



Glow-in-the-Dark Supply

Glow-in-the-Dark Supply is perfect for signs and labels that need to be visible if the power goes out. Ideal for emergency signs and in areas with limited visibility. Remains visible in dark for 3+ hours.

- Rated Outdoor Life: **6 Months**
- Rated Indoor Life: **5+ Years**
- Min. Application Temp: **40°F**
- Service Temp: **-50° to 220°F**
- Thickness: **4.0 mil**
- Shelf Life (unused): **2 Years**



4 [pg. 21](#) **6** [pg. 25](#) **9** [pg. 29](#)



High Temperature Supply

LabelTac® High Temperature Supply is engineered to hold up even when surface temperatures exceed 300°F+, making it ideal for labeling hot pipes, surfaces, and equipment.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **46°F**
- Service Temp: **-40° to 320°F**
- Thickness: **2.8 mil**
- Shelf Life (unused): **2 Years**



4 [pg. 21](#) **6** [pg. 25](#) **9** [pg. 29](#)



Cold Storage Supply

Industrial freezers and cold storage facilities require special labeling materials, and this label supply's adhesive is designed to be able to be applied even at temperatures below 0°F.

- **D** esigned for applying in cold temperatures
- **N** ot recommended for outdoor application
- Service Temp: **-40° to 215°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**



4 [pg. 21](#) **6** [pg. 25](#) **9** [pg. 29](#)



Magnetic Supply

Magnetically attach labels to racks, equipment, or other metal surfaces. Magnetic Supply is the perfect way to create removable and reusable labels for use in your facility.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **n/a**
- Service Temp: **n/a**
- Thickness: **15.0 mil**
- Shelf Life (unused): **n/a**



4 [pg. 21](#) **6** [pg. 25](#) **9** [pg. 29](#)



RP

Repositionable Supply

This material can be removed and reapplied without losing adhesive strength. Ideal for labels and signs that may need to be moved or replaced. Suitable for indoor or outdoor use.

- Rated Outdoor Life: **5+ Years**
- Thickness: **4.7 mil**
- Min. Application Temp: **40°F**
- Shelf Life (unused): **2 Years**
- Service Temp: **-40° to 180°F**



4 pg. 21 6 pg. 25 9 pg. 29



High Tack Supply

High Tack Supply has an extra-aggressive adhesive, making it easy to keep labels stuck to those difficult spots. This tape can still be removed without leaving messy residues.

- Rated Outdoor Life: **5+ Years**
- Thickness: **4.0 mil**
- Min. Application Temp: **40°F**
- Shelf Life (unused): **2 Years**
- Service Temp: **-40° to 180°F**



4 pg. 21 6 pg. 25 9 pg. 29



Oily Surface Supply

This label supply uses a specially formulated adhesive made to aggressively stick to greasy surfaces. These labels will even adhere to plastics coated with WD-40, making them ideal for use in dirty work environments or on impossible-to-clean surfaces.

- Rated Outdoor Life: **5+ Years**
- Thickness: **3.2 mil**
- Min. Application Temp: **50°F**
- Shelf Life (unused): **1 Year**
- Service Temp: **-40° to 350°F**



4 pg. 21 6 pg. 25 9 pg. 29



Static Cling Supply

Designed for temporary or non-adhesive labeling. Static Cling Supply lets you place labels and signs on glass or other smooth surfaces without using adhesive.

- Rated Outdoor Life: **6 Months**
- Service Temp: **20° to 200°F**
- Rated Indoor Life: **1+ Year**
- Thickness: **7.0mil**
- Min. Application Temp: **40°F**
- Shelf Life (unused): **6 Months**



4 pg. 21 6 pg. 25 9 pg. 29



Marine Label Supply



LabelTac® Marine Label Supply is designed for locations that may come in contact with salt water. The adhesive is salt and freshwater-resistant, and printed text and images will stay bold even when subjected to UV rays.

- Rated Outdoor Life: **7+ Years**
- Thickness: **2.4 mil**
- Min. Application Temp: **46°F**
- Shelf Life (unused): **2 Years**
- Service Temp: **-58° to 250°F**



4 [pg. 22](#) **6** [pg. 26](#) **9** [pg. 29](#)



Brushed Metal Supply



This material has a brushed metallic finish and is ideal for use on name plates for office doors, plaques, and trophy plates. It also looks great as a product label or adhered to equipment.

- Rated Outdoor Life: **6 months**
- Thickness: **3.0 mil**
- Min. Application Temp: **50°F**
- Shelf Life (unused): **2 Years**
- Service Temp: **-40° to 250°F**



4 [pg. 22](#) **6** [pg. 26](#) **9** [pg. 30](#)



Tamper Evident Supply



Designed to appear like any other label material until it is peeled off or tampered with. 2 options are available: VOID material will display "VOID" when removed, while Destructive will break into many small pieces/flakes if tampered with.

- Rated Outdoor Life: **2+ Years**
- Service Temp: **-40° to 180°F**
- Rated Indoor Life: **5+ Years**
- Thickness: **2.0 mil**
- Min. Application Temp: **46°F**
- Shelf Life (unused): **1 Year**



4 [pg. 22](#)



Electrostatic Discharge Supply



ESD Supply helps eliminate voids and dots caused by static electricity for crisp and clean printing in all atmospheric conditions. It is ideal for use on electrically sensitive components.

- **Not recommended for outdoor application**
- Service Temp: **-50° to 220°F**
- Min. Application Temp: **40°F**
- Thickness: **3.3 mil**
- Shelf Life (unused): **1 Year**




4 [pg. 22](#) **6** [pg. 26](#) **9** [pg. 30](#)



Optically Clear Supply

Transparency allows for background color matching, which looks clean and professional. Bonds effectively to plastics, painted metal, powder-coated paint, polycarbonate, fiberglass, and more.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **40°F**
- Service Temp: **-40° to 180°F**
- Thickness: **2.0 mil**
- Shelf Life (unused): **1 Year**



4 pg. 22 **6** pg. 26 **9** pg. 30



Dry Erase Supply

Easily erase and add non-permanent, unprinted information. Ideal for checklists and labels with hand-recorded information such as production dates used in food processing and assembly processes.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **46°F**
- Service Temp: **-40° to 180°F**
- Thickness: **2.8 mil**
- Shelf Life (unused): **2 Years**



4 pg. 22 **6** pg. 26 **9** pg. 30



Low Halide Supply

Halogens in many adhesive labels are known to corrode some metals. Low Halide Supply contains low levels of halogens to prevent corrosion. Excellent for labeling pipes.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **46°F**
- Service Temp: **-40° to 180°F**
- Thickness: **2.8 mil**
- Shelf Life (unused): **2 Years**



4 pg. 22 **6** pg. 26 **9** pg. 30



Blank Continuous Header Supply

LabelTac® Blank Continuous Header Supply lets you make labels with custom headers. These labels are typically used to warn or notify people of something important. The top of each roll is pre-printed with a colored stripe and the remaining area is left blank.

- Rated Outdoor Life: **5 Years**
- Min. Application Temp: **46°F**
- Service Temp: **-40° to 180°F**
- Thickness: **2.8 mil**
- Shelf Life (unused): **2 Years**



4 pg. 22 **6** pg. 26 **9** pg. 30



OSHA Header Labels

These Die-Cut Labels have a pre-printed header communicating common industrial warnings: Danger, Caution, Warning, Notice, or left blank. The area below the header is blank so you can print any message or pictogram you need.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**



4 [pg. 23](#) **6** [pg. 27](#) **9** [pg. 30](#)

Graphics:



GHS Labels


GHS (Globally Harmonized System of Classification and Labeling of Chemicals) is the new global standard for marking hazardous chemicals. OSHA's Hazard Communication Standard requires chemicals to be labeled with GHS labels by 2016. LabelTac® GHS labels are available in 1, 2, 3, & 4-diamond configurations.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**



4 [pg. 23](#) **6** [pg. 27](#) **9** [pg. 31](#)

Graphics:



Blank Die-Cut Labels

Use these blank, white die-cut labels to create professional labels with rounded corners. These die-cut labels also allow you to print multiple labels on a roll instead of creating individually cut labels (by turning off the printer's cutter), which can make labeling in the field easier.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**



4 [pg. 23](#) **6** [pg. 27](#) **9** [pg. 31](#)




NFPA Labels

LabelTac® NFPA Die-Cut Labels are designed with a pre-printed multi-color diamond for communicating chemical safety information.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**

Graphics:



4 pg. 23 **6** pg. 27 **9** pg. 31




Right-To-Know Labels

“Right-to-Know” (RTK) HMIS labels are formatted for high-readability. Pre-printed with standardized hazardous material classification bars.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**

Graphics:



4 pg. 23 **6** pg. 27

Custom Multi-Color Labels

Need special multi-color labels? Tell us what you're looking for, and we'll create custom stock for use with your LabelTac® printer.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **45°F**
- Service Temp: **-40° to 320°F**
- Thickness: **3.0 mil**
- Shelf Life (unused): **1 Year**

For custom multi-color label orders, call us at 1-877-356-6584



TAG

Tag Stock



Make your own pipe and valve tags with our LabelTac® Tag Stock! Simply print your label, punch a hole, and hang with either wire or zip ties. Comes on a continuous roll, allowing you to make tags of any length.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **n/a**
- Service Temp: **n/a**
- Thickness: **10.0 mil**
- Shelf Life (unused): **n/a**
- **NON-adhesive**



4 [pg. 22](#)

6 [pg. 26](#)

LO/TO

Lockout/Tagout Stock



Easily attaches to electrical equipment for lockout/tagout (LOTO) activities. Tags come on a continuous roll for easy batch printing and automatic cutting. Provides space to print an issuer's name, tag out date, and any other information.

- Rated Outdoor Life: **5+ Years**
- Min. Application Temp: **n/a**
- Service Temp: **n/a**
- Thickness: **10.0 mil**
- Shelf Life (unused): **n/a**
- **NON-adhesive**



4 [pg. 22](#)

6 [pg. 26](#)

3:1

Printable Shrink Tube Supply



Printable Shrink Tubes are the best solution for marking and organizing cables. Simply print your text or symbols on the shrink tube and slide it over the cable. When the shrink tube is heated, it shrinks to 1/3 its original size. **** This material is NON-adhesive ****

- **3:1 shrink ratio**
- Min. Shrink Temp: **46°F**
- Service Temp: **-55° to 135°F**
- Max Cont. Use Temp: **135°F**
- Shelf Life (unused): **2 Years**
- **NON-adhesive**



4 [pg. 23](#)

WW

Printable Wire Wraps



LabelTac® Printable Wire Wraps are designed for use with your LabelTac® printer. The clear tail wraps around the wire and label, self-laminating and protecting the print underneath. Great for organizing messy wires.

- Min. Application Temp: **n/a**
- Service Temp: **-40° to 180°F**
- Thickness: **2.8 mil**
- Shelf Life (unused): **2 Years**



4 [pg. 23](#)

6 [pg. 27](#)



Supplies for

LabelTac® 4 SERIES (4" Max. Width)

LabelTac® 4 / LabelTac® 4 Pro / LabelTac® Pro 2 / LabelTac® 4 Ultra

Make 1/2" to 4"-wide labels with a LabelTac® 4 SERIES printer. The small footprints of these printers make them portable and easy to use with your desktop or laptop, so you can create the labels you need whenever you need them.

Learn more about LabelTac® printers at labeltac.com/printers

Print Ribbon

For LabelTac® 4 ONLY

	PART
Black (4.33" x 299')	L4R03
White (4.33" x 299')	L4R02
Red (4.33" x 299')	L4R04
Green (4.33" x 299')	L4R05
Orange (4.33" x 299')	L4R06
Blue (4.33" x 299')	L4R07
* Black, 2.4" (2.4" x 299')	L4R03-24

* For use with label supply 2 inches and under

For LabelTac® 4 Pro / LabelTac® Pro 2 / LabelTac® 4 Ultra

	PART
Black (4.33" x 984')	LPR03
White (4.33" x 984')	LPR02
Red (4.33" x 984')	LPR04
Green (4.33" x 984')	LPR05
Orange (4.33" x 984')	LPR06
Blue (4.33" x 984')	LPR07
Magenta (4.33" x 984')	LPR20
Yellow (4.33" x 984')	LPR01
* Black, 2.4" (2.4" x 984')	LPR03-24

* For use with label supply 2 inches and under

Supply Color Legend



Indoor/Outdoor Label Supply

Learn more about this label material on page 12

	0.5" x 150'	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Yellow	LT0501	LT101	LT201	LT301	LT401
White	LT0502	LT102	LT202	LT302	LT402
Black	LT0503	LT103	LT203	LT303	LT403
Red	LT0504	LT104	LT204	LT304	LT404
Green	LT0505	LT105	LT205	LT305	LT405
Orange	LT0506	LT106	LT206	LT306	LT406
Blue	LT0507	LT107	LT207	LT307	LT407
Gray	LT0508	LT108	LT208	LT308	LT408
Purple	LT0509	LT109	LT209	LT309	LT409
Brown	LT0510	LT110	LT210	LT310	LT410
Clear	LT0511	LT111	LT211	LT311	LT411
Pink	LT0512	LT112	LT212	LT312	LT412
Gold	LT0513	LT113	LT213	LT313	LT413
Silver Gray	LT0514	LT114	LT214	LT314	LT414
Light Blue	LT0515	LT115	LT215	LT315	LT415
Hi-Vis Pink	LT0517	LT117	LT217	LT317	LT417
Hi-Vis Ylw	LT0519	LT119	LT219	LT319	LT419

Optional: Add Simple Peel™ split-back liner



High Performance 10-Year Supply

Learn more about this label material on page 12

	0.5" x 150'	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Yellow	LT0501HP	LT101HP	LT201HP	LT301HP	LT401HP
White	LT0502HP	LT102HP	LT202HP	LT302HP	LT402HP
Black	LT0503HP	LT103HP	LT203HP	LT303HP	LT403HP
Red	LT0504HP	LT104HP	LT204HP	LT304HP	LT404HP
Green	LT0505HP	LT105HP	LT205HP	LT305HP	LT405HP
Orange	LT0506HP	LT106HP	LT206HP	LT306HP	LT406HP
Blue	LT0507HP	LT107HP	LT207HP	LT307HP	LT407HP
Gray	LT0508HP	LT108HP	LT208HP	LT308HP	LT408HP
Purple	LT0509HP	LT109HP	LT209HP	LT309HP	LT409HP
Brown	LT0510HP	LT110HP	LT210HP	LT310HP	LT410HP
Clear	LT0511HP	LT111HP	LT211HP	LT311HP	LT411HP

Optional: Add Simple Peel™ split-back liner per roll



Reflective Supply

Learn more about this label material on page 12

	0.5" x 120'	1" x 120'	2" x 120'	3" x 120'	4" x 120'
Yellow	LT0501RF	LT101RF	LT201RF	LT301RF	LT401RF
White	LT0502RF	LT102RF	LT202RF	LT302RF	LT402RF
Red	LT0504RF	LT104RF	LT204RF	LT304RF	LT404RF
Green	LT0505RF	LT105RF	LT205RF	LT305RF	LT405RF
Orange	LT0506RF	LT106RF	LT206RF	LT306RF	LT406RF
Blue	LT0507RF	LT107RF	LT207RF	LT307RF	LT407RF



Glow-In-The-Dark Supply

Learn more about this label material on page 13

	0.5" x 120'	1" x 120'	2" x 120'	3" x 120'	4" x 120'
Glow	LT0530	LT130	LT230	LT330	LT430



High Temperature Supply

Learn more about this label material on page 13

	0.5" x 100'	1" x 100'	2" x 100'	3" x 100'	4" x 100'
Yellow	LT0501HT	LT101HT	LT201HT	LT301HT	LT401HT
White	LT0502HT	LT102HT	LT202HT	LT302HT	LT402HT
Black	LT0503HT	LT103HT	LT203HT	LT303HT	LT403HT
Red	LT0504HT	LT104HT	LT204HT	LT304HT	LT404HT
Green	LT0505HT	LT105HT	LT205HT	LT305HT	LT405HT
Orange	LT0506HT	LT106HT	LT206HT	LT306HT	LT406HT
Blue	LT0507HT	LT107HT	LT207HT	LT307HT	LT407HT



Cold Storage Supply

Learn more about this label material on page 13

	1" x 100'	2.25" x 100'	4" x 100'
Yellow	LT101CS	LT201CS	LT401CS
White	LT102CS	LT202CS	LT402CS



Magnetic Supply

Learn more about this label material on page 13

	0.5" x 25'	1" x 25'	2" x 25'	3" x 25'	4" x 25'
Yellow	LT0501M	LT101M	LT201M	LT301M	LT401M
White	LT0502M	LT102M	LT202M	LT302M	LT402M
Black	LT0503M	LT103M	LT203M	LT303M	LT403M
Red	LT0504M	LT104M	LT204M	LT304M	LT404M
Green	LT0505M	LT105M	LT205M	LT305M	LT405M
Orange	LT0506M	LT106M	LT206M	LT306M	LT406M
Blue	LT0507M	LT107M	LT207M	LT307M	LT407M



Repositionable Supply

Learn more about this label material on page 14

	0.5" x 75'	1" x 75'	2" x 75'	3" x 75'	4" x 75'
Yellow	LT0501RP	LT101RP	LT201RP	LT301RP	LT401RP
White	LT0502RP	LT102RP	LT202RP	LT302RP	LT402RP
Black	LT0503RP	LT103RP	LT203RP	LT303RP	LT403RP
Red	LT0504RP	LT104RP	LT204RP	LT304RP	LT404RP
Green	LT0505RP	LT105RP	LT205RP	LT305RP	LT405RP
Orange	LT0506RP	LT106RP	LT206RP	LT306RP	LT406RP
Blue	LT0507RP	LT107RP	LT207RP	LT307RP	LT407RP



High Tack Supply

Learn more about this label material on page 14

	0.5" x 75'	1" x 75'	2" x 75'	3" x 75'	4" x 75'
White	LT0502HK	LT102HK	LT202HK	LT302HK	LT402HK
Clear	LT0511HK	LT111HK	LT211HK	LT311HK	LT411HK



Label your tool drawers and benches so all employees can easily find what they are looking for.



Oily Surface Supply

Learn more about this label material on page 14

	0.5" x 100'	1" x 100'	2" x 100'	3" x 100'	4" x 100'
White	LT0502OS	LT102OS	LT202OS	LT302OS	LT402OS



Static Cling Supply

Learn more about this label material on page 14

	1" x 75'	2" x 75'	3" x 75'	4" x 75'
White	LT102SC	LT202SC	LT302SC	LT402SC
Clear	LT111SC	LT211SC	LT311SC	LT411SC



Marine Supply

Learn more about this label material on page 15

	0.5" x 150'	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Yellow	LT0501MN	LT101MN	LT201MN	LT301MN	LT401MN
White	LT0502MN	LT102MN	LT202MN	LT302MN	LT402MN
Black	LT0503MN	LT103MN	LT203MN	LT303MN	LT403MN
Red	LT0504MN	LT104MN	LT204MN	LT304MN	LT404MN
Green	LT0505MN	LT105MN	LT205MN	LT305MN	LT405MN
Orange	LT0506MN	LT106MN	LT206MN	LT306MN	LT406MN
Blue	LT0507MN	LT107MN	LT207MN	LT307MN	LT407MN
Gray	LT0508MN	LT108MN	LT208MN	LT308MN	LT408MN
Purple	LT0509MN	LT109MN	LT209MN	LT309MN	LT409MN
Brown	LT0510MN	LT110MN	LT210MN	LT310MN	LT410MN
Clear	LT0511MN	LT111MN	LT211MN	LT311MN	LT411MN



Brushed Metal Supply

Learn more about this label material on page 15

	0.5" x 75'	1" x 75'	2" x 75'	3" x 75'	4" x 75'
Brushed Aluminum	LT0525	LT125	LT225	LT325	LT425
Brushed Gold	LT0524	LT124	LT224	LT324	LT424



Tamper Evident Supply

Learn more about this label material on page 15

	1" x 100'	2" x 100'	3" x 100'	4" x 100'
"VOID"	LT102TEV	LT202TEV	LT302TEV	LT402TEV
PRICE	\$123.99	\$143.99	\$163.99	\$183.99

	1" x 75'	2" x 75'	3" x 75'	4" x 75'
Destructive	LT102TED	LT202TED	LT302TED	LT402TED



Electrostatic Discharge Supply

Learn more about this label material on page 15

	1" x 50'	2" x 50'	3" x 50'	4" x 50'
White	LT102ESD	LT202ESD	LT302ESD	LT402ESD



Optically Clear Supply

Learn more about this label material on page 16

	1" x 70'	2" x 70'	3" x 70'	4" x 70'
Clear	LT131	LT231	LT331	LT431

Custom width rolls (e.g.: 2.5", 3.25", etc.) are available for most supplies. Contact us for ordering information and pricing.



Dry Erase Supply

Learn more about this label material on page 16

	0.5" x 150'	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Yellow	LT0501DE	LT101DE	LT201DE	LT301DE	LT401DE
White	LT0502DE	LT102DE	LT202DE	LT302DE	LT402DE
Red	LT0504DE	LT104DE	LT204DE	LT304DE	LT404DE
Orange	LT0506DE	LT106DE	LT206DE	LT306DE	LT406DE
Clear	LT0511DE	LT111DE	LT211DE	LT311DE	LT411DE
Lt. Blue	LT0515DE	LT115DE	LT215DE	LT315DE	LT415DE



Low Halide Supply

Learn more about this label material on page 16

	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Yellow	LT101LH	LT201LH	LT301LH	LT401LH
White	LT102LH	LT202LH	LT302LH	LT402LH
Black	LT103LH	LT203LH	LT303LH	LT403LH
Red	LT104LH	LT204LH	LT304LH	LT404LH
Green	LT105LH	LT205LH	LT305LH	LT405LH
Orange	LT106LH	LT206LH	LT306LH	LT406LH
Blue	LT107LH	LT207LH	LT307LH	LT407LH
Gray	LT108LH	LT208LH	LT308LH	LT408LH
Purple	LT109LH	LT209LH	LT309LH	LT409LH
Brown	LT110LH	LT210LH	LT310LH	LT410LH



Blank Continuous Header Supply

Learn more about this label material on page 16

	2" x 75' header: 0.5"	3" x 75' header: 0.75"	4" x 75' header: 1.125"
White w/ Red Header	LT204CNT	LT304CNT	LT404CNT
White w/ Orange Header	LT206CNT	LT306CNT	LT406CNT
White w/ Yellow Header	LT201CNT	LT301CNT	LT401CNT
White w/ Blue Header	LT207CNT	LT307CNT	LT407CNT



Tag Stock

Learn more about this label material on page 19

	0.5" x 100'	1" x 100'	2" x 100'	3" x 100'	4" x 100'
Yellow	LT0501TAG	LT101TAG	LT201TAG	LT301TAG	LT401TAG
White	LT0502TAG	LT102TAG	LT202TAG	LT302TAG	LT402TAG
Red	LT0504TAG	LT104TAG	LT204TAG	LT304TAG	LT404TAG
Green	LT0505TAG	LT105TAG	LT205TAG	LT305TAG	LT405TAG
Orange	LT0506TAG	LT106TAG	LT206TAG	LT306TAG	LT406TAG
Light Blue	LT0515TAG	LT115TAG	LT215TAG	LT315TAG	LT415TAG









Lockout/Tagout Stock

Learn more about this label material on page 19

	3" x 5" (180 labels)
White w/ Red/Black LOTO Graphic	LT35LOTO


OSHA Header Labels

Learn more about this label material on page 17

		3" x 5" (200 labels)	4" x 6" (200 labels)
	Danger Type A	LT35DANGA	LT46DANGA
	Danger Type B	LT35DANGB	LT46DANGB
	Warning	LT35WARN	LT46WARN
	Caution	LT35CAUT	LT46CAUT
	Notice	LT35NOTC	LT46NOTC
	Blank Orange	LT35OR	LT46OR


NFPA Labels

Learn more about this label material on page 18

		2" x 2" (250 labels)	3" x 5" (200 labels)	4" x 6" (200 labels)
	4-Color Diamond	LT22NFPA	LT35NFPA	LT46NFPA

RTK Color Bar Labels




Learn more about this label material on page 18

		4" x 3.5" (200 labels)
	Color Bar	LT435BAR

PRICE

GHS Labels

Learn more about this label material on page 17

		2.5" x 4" (200 labels)	4" x 6" (200 labels)
	1 Diamond	LT24GHS1	LT46GHS1
	2 Diamond	LT24GHS2	LT46GHS2
	3 Diamond	LT24GHS3	LT46GHS3
	4 Diamond	LT24GHS4	LT46GHS4
	5 Diamond	LT24GHS5	LT46GHS5




Printable Wire Wraps

Learn more about this label material on page 19

		1" x 80'	2" x 80'
White	LT101WW	LT201WW	
Red	LT104WW	LT204WW	
Green	LT105WW	LT205WW	
Orange	LT106WW	LT206WW	
Blue	LT107WW	LT207WW	

Blank Die-Cut Labels

Learn more about this label material on page 17

		2" x 1" (250 labels)	2" x 2" (250 labels)	2" x 4" (200 labels)	3" x 5" (200 labels)	4" x 6" (200 labels)
	Blank White	LT21BNK	LT22BNK	LT24BNK	LT35BNK	LT46BNK

3:1 Printable Shrink Tube Supply

Learn more about this label material on page 19

	3/16" x 25'	1/4" x 25'	3/8" x 25'	1/2" x 25'	3/4" x 25'	1" x 25'
Yellow	LTB01SHK	LTC01SHK	LTE01SHK	LTF01SHK	LTH01SHK	LTJ01SHK
White	LTB02SHK	LTC02SHK	LTE02SHK	LTF02SHK	LTH02SHK	LTJ02SHK



Questions? Orders? Support?

Call us at **1-877-356-6584** or visit labeltac.com



Supplies for LabelTac[®] 6 SERIES (6" Max. Width)

LabelTac[®] 6 / LabelTac[®] 6 Duo

These printers give you the versatility you need to make both large and small labels (between 2" and 6" wide). An LCD display and 6-button menu make printing simple. Select the durable LabelTac[®] 6 or the two-color printing of the LabelTac[®] 6 Duo.

Learn more about LabelTac[®] printers at labeltac.com/printers

Print Ribbon

	PART
Black (6.25" x 984')	L6R03
White (6.25" x 984')	L6R02
Red (6.25" x 984')	L6R04
Green (6.25" x 984')	L6R05
Blue (6.25" x 984')	L6R07
Magenta (6.25" x 984')	L6R20
Yellow (6.25" x 984')	L6R01

Request FREE LabelTac[®] Samples

Call us at 1-866-777-1360 or email us at info@labeltac.com to request printed samples.

Supply Color Legend



Indoor/Outdoor Label Supply

Learn more about this label material on page 12

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201-C	LT301-C	LT401-C	LT501-C	LT601-C
White	LT202-C	LT302-C	LT402-C	LT502-C	LT602-C
Black	LT203-C	LT303-C	LT403-C	LT503-C	LT603-C
Red	LT204-C	LT304-C	LT404-C	LT504-C	LT604-C
Green	LT205-C	LT305-C	LT405-C	LT505-C	LT605-C
Orange	LT206-C	LT306-C	LT406-C	LT506-C	LT606-C
Blue	LT207-C	LT307-C	LT407-C	LT507-C	LT607-C
Gray	LT208-C	LT308-C	LT408-C	LT508-C	LT608-C
Purple	LT209-C	LT309-C	LT409-C	LT509-C	LT609-C
Brown	LT210-C	LT310-C	LT410-C	LT510-C	LT610-C
Clear	LT211-C	LT311-C	LT411-C	LT511-C	LT611-C
Pink	LT212-C	LT312-C	LT412-C	LT512-C	LT612-C
Gold	LT213-C	LT313-C	LT413-C	LT513-C	LT613-C
Silver Gray	LT214-C	LT314-C	LT414-C	LT514-C	LT614-C
Light Blue	LT215-C	LT315-C	LT415-C	LT515-C	LT615-C
Hi-Vis Pink	LT217-C	LT317-C	LT417-C	LT517-C	LT617-C
Hi-Vis Ylw	LT219-C	LT319-C	LT419-C	LT519-C	LT619-C

Optional: Add Simple Peel™ split-back liner per roll

10 High Performance 10-Year Supply

Learn more about this label material on page 12

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201HP-C	LT301HP-C	LT401HP-C	LT501HP-C	LT601HP-C
White	LT202HP-C	LT302HP-C	LT402HP-C	LT502HP-C	LT602HP-C
Black	LT203HP-C	LT303HP-C	LT403HP-C	LT503HP-C	LT603HP-C
Red	LT204HP-C	LT304HP-C	LT404HP-C	LT504HP-C	LT604HP-C
Green	LT205HP-C	LT305HP-C	LT405HP-C	LT505HP-C	LT605HP-C
Orange	LT206HP-C	LT306HP-C	LT406HP-C	LT506HP-C	LT606HP-C
Blue	LT207HP-C	LT307HP-C	LT407HP-C	LT507HP-C	LT607HP-C
Gray	LT208HP-C	LT308HP-C	LT408HP-C	LT508HP-C	LT608HP-C
Purple	LT209HP-C	LT309HP-C	LT409HP-C	LT509HP-C	LT609HP-C
Brown	LT210HP-C	LT310HP-C	LT410HP-C	LT510HP-C	LT610HP-C
Clear	LT211HP-C	LT311HP-C	LT411HP-C	LT511HP-C	LT611HP-C

Optional: Add Simple Peel™ split-back liner



Reflective Supply

Learn more about this label material on page 12

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201RF-C	LT301RF-C	LT401RF-C	LT501RF-C	LT601RF-C
White	LT202RF-C	LT302RF-C	LT402RF-C	LT502RF-C	LT602RF-C
Red	LT204RF-C	LT304RF-C	LT404RF-C	LT504RF-C	LT604RF-C
Green	LT205RF-C	LT305RF-C	LT405RF-C	LT505RF-C	LT605RF-C
Orange	LT206RF-C	LT306RF-C	LT406RF-C	LT506RF-C	LT606RF-C
Blue	LT207RF-C	LT307RF-C	LT407RF-C	LT507RF-C	LT607RF-C



Glow-In-The-Dark Supply

Learn more about this label material on page 13

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Glow	LT230-C	LT330-C	LT430-C	LT530-C	LT630-C



High Temperature Supply

Learn more about this label material on page 13

	2" x 75'	3" x 75'	4" x 75'
Yellow	LT201HT-C	LT301HT-C	LT401HT-C
White	LT202HT-C	LT302HT-C	LT402HT-C
Black	LT203HT-C	LT303HT-C	LT403HT-C
Red	LT204HT-C	LT304HT-C	LT404HT-C
Green	LT205HT-C	LT305HT-C	LT405HT-C
Orange	LT206HT-C	LT306HT-C	LT406HT-C
Blue	LT207HT-C	LT307HT-C	LT407HT-C



Cold Storage Supply

Learn more about this label material on page 13

	2.25" x 100'	4" x 100'
Yellow	LT201CS-C	LT401CS-C
White	LT202CS-C	LT402CS-C



Magnetic Supply

Learn more about this label material on page 13

	2" x 25'	3" x 25'	4" x 25'	5" x 25'	6" x 25'
Yellow	LT201M-C	LT301M-C	LT401M-C	LT501M-C	LT601M-C
White	LT202M-C	LT302M-C	LT402M-C	LT502M-C	LT602M-C
Black	LT203M-C	LT303M-C	LT403M-C	LT503M-C	LT603M-C
Red	LT204M-C	LT304M-C	LT404M-C	LT504M-C	LT604M-C
Green	LT205M-C	LT305M-C	LT405M-C	LT505M-C	LT605M-C
Orange	LT206M-C	LT306M-C	LT406M-C	LT506M-C	LT606M-C
Blue	LT207M-C	LT307M-C	LT407M-C	LT507M-C	LT607M-C



Repositionable Supply

Learn more about this label material on page 14

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201RP-C	LT301RP-C	LT401RP-C	LT501RP-C	LT601RP-C
White	LT202RP-C	LT302RP-C	LT402RP-C	LT502RP-C	LT602RP-C
Black	LT203RP-C	LT303RP-C	LT403RP-C	LT503RP-C	LT603RP-C
Red	LT204RP-C	LT304RP-C	LT404RP-C	LT504RP-C	LT604RP-C
Green	LT205RP-C	LT305RP-C	LT405RP-C	LT505RP-C	LT605RP-C
Orange	LT206RP-C	LT306RP-C	LT406RP-C	LT506RP-C	LT606RP-C
Blue	LT207RP-C	LT307RP-C	LT407RP-C	LT507RP-C	LT607RP-C



High Tack Supply

Learn more about this label material on page 14

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
White	LT202HK-C	LT302HK-C	LT402HK-C	LT502HK-C	LT602HK-C
Clear	LT211HK-C	LT311HK-C	LT411HK-C	LT511HK-C	LT611HK-C



Oily Surface Supply

Learn more about this label material on page 14

	2" x 100'	3" x 100'	4" x 100'	5" x 100'	6" x 100'
White	LT202OS-C	LT302OS-C	LT402OS-C	LT502OS-C	LT602OS-C



Static Cling Supply

Learn more about this label material on page 14

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
White	LT202SC-C	LT302SC-C	LT402SC-C	LT502SC-C	LT602SC-C
Clear	LT211SC-C	LT311SC-C	LT411SC-C	LT511SC-C	LT611SC-C



LabelTac® High Performance 10-Year Supply is guaranteed to last 10 years, even outdoors- perfect for fleet labels and decals.



Marine Supply

Learn more about this label material on page 15

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201MN-C	LT301MN-C	LT401MN-C	LT501MN-C	LT601MN-C
White	LT202MN-C	LT302MN-C	LT402MN-C	LT502MN-C	LT602MN-C
Black	LT203MN-C	LT303MN-C	LT403MN-C	LT503MN-C	LT603MN-C
Red	LT204MN-C	LT304MN-C	LT404MN-C	LT504MN-C	LT604MN-C
Green	LT205MN-C	LT305MN-C	LT405MN-C	LT505MN-C	LT605MN-C
Orange	LT206MN-C	LT306MN-C	LT406MN-C	LT506MN-C	LT606MN-C
Blue	LT207MN-C	LT307MN-C	LT407MN-C	LT507MN-C	LT607MN-C
Gray	LT208MN-C	LT308MN-C	LT408MN-C	LT508MN-C	LT608MN-C
Purple	LT209MN-C	LT309MN-C	LT409MN-C	LT509MN-C	LT609MN-C
Brown	LT210MN-C	LT310MN-C	LT410MN-C	LT510MN-C	LT610MN-C
Clear	LT211MN-C	LT311MN-C	LT411MN-C	LT511MN-C	LT611MN-C



Brushed Metal Supply

Learn more about this label material on page 15

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Brushed Aluminum	LT225-C	LT325-C	LT425-C	LT525-C	LT625-C
Brushed Gold	LT224-C	LT324-C	LT424-C	LT524-C	LT624-C



Electrostatic Discharge Supply

Learn more about this label material on page 15

	2" x 50'	3" x 50'	4" x 50'
White	LT202ESD-C	LT302ESD-C	LT402ESD-C



You can even use LabelTac® labels for floor signs! For high traffic areas we recommend **Industrial Label Protection**



Optically Clear Supply

Learn more about this label material on page 16

	2" x 70'	3" x 70'	4" x 70'	5" x 70'	6" x 70'
Clear	LT231-C	LT331-C	LT431-C	LT531-C	LT631-C



Dry Erase Supply

Learn more about this label material on page 16

	2" x 75'	3" x 75'	4" x 75'	5" x 75'	6" x 75'
Yellow	LT201DE-C	LT301DE-C	LT401DE-C	LT501DE-C	LT601DE-C
White	LT202DE-C	LT302DE-C	LT402DE-C	LT502DE-C	LT602DE-C
Red	LT204DE-C	LT304DE-C	LT404DE-C	LT504DE-C	LT604DE-C
Orange	LT206DE-C	LT306DE-C	LT406DE-C	LT506DE-C	LT606DE-C
Clear	LT211DE-C	LT311DE-C	LT411DE-C	LT511DE-C	LT611DE-C
Lt. Blue	LT215DE-C	LT315DE-C	LT415DE-C	LT515DE-C	LT615DE-C



Low Halide Supply

Learn more about this label material on page 16

	2" x 75'	3" x 75'	4" x 75'
Yellow	LT201LH-C	LT301LH-C	LT401LH-C
White	LT202LH-C	LT302LH-C	LT402LH-C
Black	LT203LH-C	LT303LH-C	LT403LH-C
Red	LT204LH-C	LT304LH-C	LT404LH-C
Green	LT205LH-C	LT305LH-C	LT405LH-C
Orange	LT206LH-C	LT306LH-C	LT406LH-C
Blue	LT207LH-C	LT307LH-C	LT407LH-C
Gray	LT208LH-C	LT308LH-C	LT408LH-C
Purple	LT209LH-C	LT309LH-C	LT409LH-C
Brown	LT210LH-C	LT310LH-C	LT410LH-C



Blank Continuous Header Supply

Learn more about this label material on page 16

	2" x 75' header: 0.5"	3" x 75' header: 0.75"	4" x 75' header: 1.125"	6" x 75' header: 1.75"
White w/ Red Header	LT204CNT-C	LT304CNT-C	LT404CNT-C	LT604CNT-C
White w/ Orange Header	LT206CNT-C	LT306CNT-C	LT406CNT-C	LT606CNT-C
White w/ Yellow Header	LT201CNT-C	LT301CNT-C	LT401CNT-C	LT601CNT-C
White w/ Blue Header	LT207CNT-C	LT307CNT-C	LT407CNT-C	LT607CNT-C



Tag Stock

Learn more about this label material on page 19

	2" x 100'	3" x 100'	4" x 100'	5" x 100'	6" x 100'
Yellow	LT201TAG-C	LT301TAG-C	LT401TAG-C	LT501TAG-C	LT601TAG-C
White	LT202TAG-C	LT302TAG-C	LT402TAG-C	LT502TAG-C	LT602TAG-C
Red	LT204TAG-C	LT304TAG-C	LT404TAG-C	LT504TAG-C	LT604TAG-C
Green	LT205TAG-C	LT305TAG-C	LT405TAG-C	LT505TAG-C	LT605TAG-C
Orange	LT206TAG-C	LT306TAG-C	LT406TAG-C	LT506TAG-C	LT606TAG-C
Light Blue	LT215TAG-C	LT315TAG-C	LT415TAG-C	LT515TAG-C	LT615TAG-C




Lockout/Tagout Stock

Learn more about this label material on page 19

	3" x 5" (180 labels)
White w/ Red/Black LOTO Graphic	LT35LOTO-C






OSHA Header Labels

Learn more about this label material on page 17

		3" x 5" (200 labels)	4" x 6" (200 labels)	6" x 9" (100 labels)
	Danger Type A	LT35DANGA-C	LT46DANGA-C	LT69DANGA-C
	Danger Type B	LT35DANGB-C	LT46DANGB-C	LT69DANGB-C
	Warning	LT35WARN-C	LT46WARN-C	LT69WARN-C
	Caution	LT35CAUT-C	LT46CAUT-C	LT69CAUT-C
	Notice	LT35NOTC-C	LT46NOTC-C	LT69NOTC-C
	Blank Orange	LT35OR-C	LT46OR-C	LT69OR-C


GHS Labels

Learn more about this label material on page 17

		2.5" x 4" (200 labels)	4" x 6" (200 labels)	6" x 9" (100 labels)
	1 Diamond	LT24GHS1-C	LT46GHS1-C	LT69GHS1-C
	2 Diamond	LT24GHS2-C	LT46GHS2-C	LT69GHS2-C
	3 Diamond	LT24GHS3-C	LT46GHS3-C	LT69GHS3-C
	4 Diamond	LT24GHS4-C	LT46GHS4-C	LT69GHS4-C
	5 Diamond	LT24GHS5-C	LT46GHS5-C	LT69GHS5-C


Blank Die-Cut Labels

Learn more about this label material on page 17

		2" x 1" (250 labels)	2" x 2" (250 labels)	2" x 4" (200 labels)	3" x 5" (200 labels)	4" x 6" (200 labels)	6" x 9" (100 labels)
	Blank White	LT21BNK-C	LT22BNK-C	LT24BNK-C	LT35BNK-C	LT46BNK-C	LT69BNK-C


NFPA Labels

Learn more about this label material on page 18

		2" x 2" (250 labels)	3" x 5" (200 labels)	4" x 6" (200 labels)	6" x 9" (100 labels)
	4-Color Diamond	LT22NFPA-C	LT35NFPA-C	LT46NFPA-C	LT69NFPA-C

RTK Color Bar Labels

Learn more about this label material on page 18

		4" x 3.5" (200 labels)
	Color Bar	LT435BAR-C

Printable Wire Wraps

Learn more about this label material on page 19

		2" x 80'
	White	LT201WW-C
	Red	LT204WW-C
	Green	LT205WW-C
	Orange	LT206WW-C
	Blue	LT207WW-C



Questions? Orders? Support?

Call us at 1-877-356-6584 or visit labeltac.com



Supplies for LabelTac® 9 SERIES (9" Max. Width)

LabelTac® 9

Bigger labels get noticed, and the LabelTac® 9 is a large-format printer that lets you create labels up to 9" wide so your messages are clear. This printer's durable metal chassis makes it suitable for industrial facilities, and its clear media view window lets you easily monitor supply levels.

Learn more about LabelTac® printers at labeltac.com/printers

Print Ribbon

	PART
Black (8.66" x 984')	L9R03
White (8.66" x 984')	L9R02
Red (8.66" x 984')	L9R04
Green (8.66" x 984')	L9R05
Orange (8.66" x 984')	L9R06
Blue (8.66" x 984')	L9R07

Custom width rolls (e.g.: 6.5", 8.75", etc.) are available for most supplies. Contact us for ordering information and pricing.

Supply Color Legend



Indoor/Outdoor Label Supply

Learn more about this label material on page 12

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401-C	LT501-C	LT601-C	LT801-C	LT901-C
White	LT402-C	LT502-C	LT602-C	LT802-C	LT902-C
Black	LT403-C	LT503-C	LT603-C	LT803-C	LT903-C
Red	LT404-C	LT504-C	LT604-C	LT804-C	LT904-C
Green	LT405-C	LT505-C	LT605-C	LT805-C	LT905-C
Orange	LT406-C	LT506-C	LT606-C	LT806-C	LT906-C
Blue	LT407-C	LT507-C	LT607-C	LT807-C	LT907-C
Gray	LT408-C	LT508-C	LT608-C	LT808-C	LT908-C
Purple	LT409-C	LT509-C	LT609-C	LT809-C	LT909-C
Brown	LT410-C	LT510-C	LT610-C	LT810-C	LT910-C
Clear	LT411-C	LT511-C	LT611-C	LT811-C	LT911-C
Pink	LT412-C	LT512-C	LT612-C	LT812-C	LT912-C
Gold	LT413-C	LT513-C	LT613-C	LT813-C	LT913-C
Silver Gray	LT414-C	LT514-C	LT614-C	LT814-C	LT914-C
Light Blue	LT415-C	LT515-C	LT615-C	LT815-C	LT915-C
Hi-Vis Pink	LT417-C	LT517-C	LT617-C	LT817-C	LT917-C
Hi-Vis Ylw	LT419-C	LT519-C	LT619-C	LT819-C	LT919-C

Optional: Add Simple Peel™ split-back liner per roll

10 High Performance 10-Year Supply

Learn more about this label material on page 12

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401HP-C	LT501HP-C	LT601HP-C	LT801HP-C	LT901HP-C
White	LT402HP-C	LT502HP-C	LT602HP-C	LT802HP-C	LT902HP-C
Black	LT403HP-C	LT503HP-C	LT603HP-C	LT803HP-C	LT903HP-C
Red	LT404HP-C	LT504HP-C	LT604HP-C	LT804HP-C	LT904HP-C
Green	LT405HP-C	LT505HP-C	LT605HP-C	LT805HP-C	LT905HP-C
Orange	LT406HP-C	LT506HP-C	LT606HP-C	LT806HP-C	LT906HP-C
Blue	LT407HP-C	LT507HP-C	LT607HP-C	LT807HP-C	LT907HP-C
Gray	LT408HP-C	LT508HP-C	LT608HP-C	LT808HP-C	LT908HP-C
Purple	LT409HP-C	LT509HP-C	LT609HP-C	LT809HP-C	LT909HP-C
Brown	LT410HP-C	LT510HP-C	LT610HP-C	LT810HP-C	LT910HP-C
Clear	LT411HP-C	LT511HP-C	LT611HP-C	LT811HP-C	LT911HP-C

Optional: Add Simple Peel™ split-back liner



Reflective Supply

Learn more about this label material on page 12

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401RF-C	LT501RF-C	LT601RF-C	LT801RF-C	LT901RF-C
White	LT402RF-C	LT502RF-C	LT602RF-C	LT802RF-C	LT902RF-C
Red	LT404RF-C	LT504RF-C	LT604RF-C	LT804RF-C	LT904RF-C
Green	LT405RF-C	LT505RF-C	LT605RF-C	LT805RF-C	LT905RF-C
Orange	LT406RF-C	LT506RF-C	LT606RF-C	LT806RF-C	LT906RF-C
Blue	LT407RF-C	LT507RF-C	LT607RF-C	LT807RF-C	LT907RF-C



Glow-In-The-Dark Supply

Learn more about this label material on page 13

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Glow	LT430-C	LT530-C	LT630-C	LT830-C	LT930-C



High Temperature Supply

Learn more about this label material on page 13

	4" x 75'
Yellow	LT401HT-C
White	LT402HT-C
Black	LT403HT-C
Red	LT404HT-C
Green	LT405HT-C
Orange	LT406HT-C
Blue	LT407HT-C



Cold Storage Supply

Learn more about this label material on page 13

	4" x 100'
Yellow	LT401CS-C
White	LT402CS-C



Magnetic Supply

Learn more about this label material on page 13

	4" x 25'	5" x 25'	6" x 25'	8" x 25'	9" x 25'
Yellow	LT401M-C	LT501M-C	LT601M-C	LT801M-C	LT901M-C
White	LT402M-C	LT502M-C	LT602M-C	LT802M-C	LT902M-C
Black	LT403M-C	LT503M-C	LT603M-C	LT803M-C	LT903M-C
Red	LT404M-C	LT504M-C	LT604M-C	LT804M-C	LT904M-C
Green	LT405M-C	LT505M-C	LT605M-C	LT805M-C	LT905M-C
Orange	LT406M-C	LT506M-C	LT606M-C	LT806M-C	LT906M-C
Blue	LT407M-C	LT507M-C	LT607M-C	LT807M-C	LT907M-C



Repositionable Supply

Learn more about this label material on page 14

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401RP-C	LT501RP-C	LT601RP-C	LT801RP-C	LT901RP-C
White	LT402RP-C	LT502RP-C	LT602RP-C	LT802RP-C	LT902RP-C
Black	LT403RP-C	LT503RP-C	LT603RP-C	LT803RP-C	LT903RP-C
Red	LT404RP-C	LT504RP-C	LT604RP-C	LT804RP-C	LT904RP-C
Green	LT405RP-C	LT505RP-C	LT605RP-C	LT805RP-C	LT905RP-C
Orange	LT406RP-C	LT506RP-C	LT606RP-C	LT806RP-C	LT906RP-C
Blue	LT407RP-C	LT507RP-C	LT607RP-C	LT807RP-C	LT907RP-C



High Tack Supply

Learn more about this label material on page 14

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
White	LT402HK-C	LT502HK-C	LT602HK-C	LT802HK-C	LT902HK-C
Clear	LT411HK-C	LT511HK-C	LT611HK-C	LT811HK-C	LT911HK-C



Oily Surface Supply

Learn more about this label material on page 14

	4" x 100'	5" x 100'	6" x 100'
White	LT402OS-C	LT502OS-C	LT602OS-C



Static Cling Supply

Learn more about this label material on page 14

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
White	LT402SC-C	LT502SC-C	LT602SC-C	LT802SC-C	LT902SC-C
Clear	LT411SC-C	LT511SC-C	LT611SC-C	LT811SC-C	LT911SC-C



Marine Supply

Learn more about this label material on page 15

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401MN-C	LT501MN-C	LT601MN-C	LT801MN-C	LT901MN-C
White	LT402MN-C	LT502MN-C	LT602MN-C	LT802MN-C	LT902MN-C
Black	LT403MN-C	LT503MN-C	LT603MN-C	LT803MN-C	LT903MN-C
Red	LT404MN-C	LT504MN-C	LT604MN-C	LT804MN-C	LT904MN-C
Green	LT405MN-C	LT505MN-C	LT605MN-C	LT805MN-C	LT905MN-C
Orange	LT406MN-C	LT506MN-C	LT606MN-C	LT806MN-C	LT906MN-C
Blue	LT407MN-C	LT507MN-C	LT607MN-C	LT807MN-C	LT907MN-C
Gray	LT408MN-C	LT508MN-C	LT608MN-C	LT808MN-C	LT908MN-C
Purple	LT409MN-C	LT509MN-C	LT609MN-C	LT809MN-C	LT909MN-C
Brown	LT410MN-C	LT510MN-C	LT610MN-C	LT810MN-C	LT910MN-C
Clear	LT411MN-C	LT511MN-C	LT611MN-C	LT811MN-C	LT911MN-C



Brushed Metal Supply

Learn more about this label material on page 15

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Brushed Aluminum	LT425-C	LT525-C	LT625-C	LT825-C	LT925-C
Brushed Gold	LT424-C	LT524-C	LT624-C	LT824-C	LT924-C



Electrostatic Discharge Supply

Learn more about this label material on page 15

	4" x 50'
White	LT402ESD-C
PRICE	\$114.99



Optically Clear Supply

Learn more about this label material on page 16

	4" x 70'	5" x 70'	6" x 70'	8" x 70'	9" x 70'
Clear	LT431-C	LT531-C	LT631-C	LT831-C	LT931-C



Dry Erase Supply

Learn more about this label material on page 16

	4" x 75'	5" x 75'	6" x 75'	8" x 75'	9" x 75'
Yellow	LT401DE-C	LT501DE-C	LT601DE-C	LT801DE-C	LT901DE-C
White	LT402DE-C	LT502DE-C	LT602DE-C	LT802DE-C	LT902DE-C
Red	LT404DE-C	LT504DE-C	LT604DE-C	LT804DE-C	LT904DE-C
Orange	LT406DE-C	LT506DE-C	LT606DE-C	LT806DE-C	LT906DE-C
Clear	LT411DE-C	LT511DE-C	LT611DE-C	LT811DE-C	LT911DE-C
Lt. Blue	LT415DE-C	LT515DE-C	LT615DE-C	LT815DE-C	LT915DE-C



Low Halide Supply

Learn more about this label material on page 16

	4" x 75'
Yellow	LT401LH-C
White	LT402LH-C
Black	LT403LH-C
Red	LT404LH-C
Green	LT405LH-C
Orange	LT406LH-C
Blue	LT407LH-C
Gray	LT408LH-C
Purple	LT409LH-C
Brown	LT410LH-C



Blank Continuous Header Supply

Learn more about this label material on page 16

	4" x 75' header: 1.125"	6" x 75' header: 1.75"	8" x 75' header: 2.25"
White w/ Red Header	LT404CNT-C	LT604CNT-C	LT804CNT-C
White w/ Orange Header	LT406CNT-C	LT606CNT-C	LT806CNT-C
White w/ Yellow Header	LT401CNT-C	LT601CNT-C	LT801CNT-C
White w/ Blue Header	LT407CNT-C	LT607CNT-C	LT807CNT-C



Tag Stock

Learn more about this label material on page 19

	4" x 100'	5" x 100'	6" x 100'	8" x 100'	9" x 100'
Yellow	LT401TAG-C	LT501TAG-C	LT601TAG-C	LT801TAG-C	LT901TAG-C
White	LT402TAG-C	LT502TAG-C	LT602TAG-C	LT802TAG-C	LT902TAG-C
Red	LT404TAG-C	LT504TAG-C	LT604TAG-C	LT804TAG-C	LT904TAG-C
Green	LT405TAG-C	LT505TAG-C	LT605TAG-C	LT805TAG-C	LT905TAG-C
Orange	LT406TAG-C	LT506TAG-C	LT606TAG-C	LT806TAG-C	LT906TAG-C
Light Blue	LT415TAG-C	LT515TAG-C	LT615TAG-C	LT815TAG-C	LT915TAG-C



Easy OSHA warning labeling with Pre-Printed Header Die-Cuts.

OSHA Header Labels

Learn more about this label material on page 17

		4" x 6" (200 labels)	6" x 9" (100 labels)	8" x 12" (100 labels)
	Danger Type A	LT46DANGA-C	LT69DANGA-C	LT812DANGA-C
	Danger Type B	LT46DANGB-C	LT69DANGB-C	LT812DANGB-C
	Warning	LT46WARN-C	LT69WARN-C	LT812WARN-C
	Caution	LT46CAUT-C	LT69CAUT-C	LT812CAUT-C
	Notice	LT46NOTC-C	LT69NOTC-C	LT812NOTC-C
	Blank Orange	LT46OR-C	LT69OR-C	LT812OR-C

GHS Labels

Learn more about this label material on page 17

		4" x 6" (200 labels)	6" x 9" (100 labels)	8" x 12" (100 labels)
	1 Diamond	LT46GHS1-C	LT69GHS1-C	LT812GHS1-C
	2 Diamond	LT46GHS2-C	LT69GHS2-C	LT812GHS2-C
	3 Diamond	LT46GHS3-C	LT69GHS3-C	LT812GHS3-C
	4 Diamond	LT46GHS4-C	LT69GHS4-C	LT812GHS4-C
	5 Diamond	LT46GHS5-C	LT69GHS5-C	LT812GHS5-C

NFPA Labels

Learn more about this label material on page 18

		4" x 6" (200 labels)	6" x 9" (100 labels)	8" x 12" (100 labels)
	4-Color Diamond	LT46NFPA-C	LT69NFPA-C	LT812NFPA-C

Blank Die-Cut Labels

Learn more about this label material on page 17

		4" x 6" (200 labels)	6" x 9" (100 labels)	8" x 12" (100 labels)
	Blank White	LT46BNK-C	LT69BNK-C	LT812BNK-C

Custom width rolls (e.g.: 6.5", 8.75", etc.) are available for most supplies. Contact us for ordering information and pricing.

Request FREE LabelTac® Samples

Call us at 1-866-777-1360 or email us at info@labeltac.com to request printed samples.





Other floor marking tapes just can't compare.



SafetyTac® aisle marking tape can identify hazards, create pathways, divide spaces, and even increase efficiency as part of Lean or 5S efforts. These durable floor tapes come in a variety of styles, colors, and sizes so you can create the workplace you envision.

10 Bold Colors | 2" to 6" Widths | Tapered Edges

SAFETYTAC®

safetytac.com or call 1-888-246-6770

Ask us for a free sample!



Go mobile! Print labels in the field or on the factory floor.

By using the optional LabelTac® battery pack and LabelTac® Label Design Workstation (or any standard PC laptop), you can design and print labels and signs away from power outlets. This can be very useful when labeling in the field or on the floor of your facility.



A. LabelTac® Battery Pack

The LabelTac® Battery Pack allows for true on-the-go printing- simply pair with our Label Design Workstation or any other laptop and you can print ANYWHERE! The LabelTac® Battery Pack recharges in under 4 hrs, and can print hundreds of labels on a single charge.

- For use with LabelTac® 4, LabelTac® 4+, LabelTac® 4 PRO
- Average battery life: 30-45 minutes of continuous printing
- Average charge time: 4 hours

PART #	DESCRIPTION
LT-BP200	Battery Pack

B. LabelTac® Label Design Workstation

Have IT restrictions that prevent you from using work computers for label creation and printing? Or need a small laptop for dedicated label printing? The Label Design Workstation (LDW) is a ready-right-from-the-box solution for your LabelTac® Printer.

- For use with all LabelTac® models
- Pre-loaded with Windows 8 and LabelTac® templates and drivers for fast printing
- Average battery life: 7 hours
- 11.6" touch-enabled screen
- 4th Gen Intel® Core™ processor
- Weight: 3 lbs

PART #	DESCRIPTION
LT-LDW	Label Design Workstation



PLEASE CONTACT US FOR YOUR REQUIREMENTS.

For Philippines

E-Mail: quotes@aquarianinc.net, Ph: +63 2 637-6570

For Vietnam

E-Mail: chau.truong@aquarianinc.net, Ph: +84908637819